



alfercurve

PLIABLE ANGLE PROFILES

Enliven the design of tile coverings.

alfercurve profiles are flexible, thanks to their special die-cutting. They adapt to your individual curve guide. Transitions with elegant rounding can be implemented easily. The series includes profiles with a height of 2 mm to 30 mm. Get creative with alfercurve!








alfercurve

PLIABLE ANGLE PROFILES




Application pliable angle profile

alfercurve – Individually shapeable angle profiles fit perfectly into any situation. Round off the covering wherever closings are not desired.

**STAINLESS STEEL
V2A**

GLOSSY



PLIABLE ANGLE PROFILE

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
3	250	ACU E 30	9,74
4,5	250	ACU E 45	10,22
6	250	ACU E 60	10,48
8	250	ACU E 80	10,85
9	250	ACU E 90	11,12
10	250	ACU E 100	11,38
11	250	ACU E 110	11,63
12,5	250	ACU E 125	11,86


PLIABLE ANGLE PROFILE

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
2	250	ACU A 20	4,43
3	250	ACU A 30	4,51
4,5	250	ACU A 45	4,59
6	250	ACU A 60	4,82
8	250	ACU A 80	4,87
9	250	ACU A 90	4,91
10	250	ACU A 100	4,96
11	250	ACU A 110	5,11
12,5	250	ACU A 125	5,23
15	250	ACU A 150	5,60
17,5	250	ACU A 175	5,80
18,5	250	ACU A 185	5,96
20	250	ACU A 200	6,24
22	250	ACU A 220	6,49
25	250	ACU A 250	6,87
30	250	ACU A 300	7,12
<hr/>			
2	250	ACU AE 20	4,47
3	250	ACU AE 30	5,31
4,5	250	ACU AE 45	5,50
6	250	ACU AE 60	6,27
8	250	ACU AE 80	6,35
9	250	ACU AE 90	6,38
10	250	ACU AE 100	6,41
11	250	ACU AE 110	6,56
12,5	250	ACU AE 125	6,72
15	250	ACU AE 150	7,07
<hr/>			
6	250	ACU AEG 60	6,35
8	250	ACU AEG 80	6,41
9	250	ACU AEG 90	6,45
10	250	ACU AEG 100	6,49
11	250	ACU AEG 110	6,72
12,5	250	ACU AEG 125	6,94

NATURAL

ALUMINIUM



SILVER
ANODIZED

GOLD
ANODIZED