



alferlight

LED PROFILES

Lighten up the dark and ensure safety in a relaxed atmosphere.

Light in the strict sense is not an element. Therefore, light has a very strong impact on spacial effect. Modern lighting technology can be much more than merely illuminating a room. Today, LED technology allows almost unlimited freedom of design. Depending on the model, not only the brightness, but also the light colour can be smoothly controlled. What was previously known only from the spa of a luxury hotel can now be enjoyed at home.

Apart from the design aspect, rooms with alferlight are also safer, illuminating trip hazards and stairs. The LED profiles are installed like classic tile profiles when laying the tiles in the covering. Cables and power supply are hidden under plaster or drywall.

The alferlight profiles in black anodised offer a highlight. The eye-catchers are the black diffusers, which provide a noble overall impression. When the light is switched on, you will not notice any difference to the white diffusing disc. See for yourself.





alferlight






Application LED square edge profile

alferlight – With our elegant edging profiles you can light up rooms, hallways, landings and stairs safely in a subtle and stylish way.

ALUMINIUM



SILVER
ANODIZED

CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED *

LED SQUARE EDGE PROFILE INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
11	250	LED AQ AE 110 SET	27,38
11	250	LED AQ AESC 110 GB SET	34,26
11	250	LED AQ AET 110 GGB SET	37,96
11	250	LED AQ AES 110 SET	29,84

Cannot be used for RGBW Strip.

* with black diffusing disc

LED SQUARE END CAP

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED AQ AE 110-E	23,78
11	LED AQ AESC 110 GB-E	24,96
11	LED AQ AET 110 GGB-E	27,34
11	LED AQ AES 110-E	24,40

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED






Application LED quarter circle profile

alferlight – With our elegant edging profiles you can light up rooms, hallways, landings and stairs safely in a subtle and stylish way.

ALUMINIUM



SILVER
ANODIZED

CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED *

LED QUARTER CIRCLE PROFILE INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
11	250	LED AC AE 110 SET	27,38
11	250	LED AC AESC 110 GB SET	34,26
11	250	LED AC AET 110 GGB SET	37,96
11	250	LED AC AES 110 SET	29,84

Cannot be used for RGBW Strip.

* with black diffusing disc

LED OUTSIDE CORNER QUARTER CIRCLE

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED AC AE 110-A	23,78
11	LED AC AESC 110 GB-A	24,96
11	LED AC AET 110 GGB-A	27,34
11	LED AC AES 110-A	24,40

LED INSIDE CORNER QUARTER CIRCLE

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED AC AE 110-I	23,78
11	LED AC AESC 110 GB-I	24,96
11	LED AC AET 110 GGB-I	27,34
11	LED AC AES 110-I	24,40

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED





alferlight


LED PROFILES



Application LED step edge profile alferproststep

alferlight – With the new LED step edge profile and the matching strips, you can ideally light up your staircase.

ALUMINIUM



SILVER
ANODIZED

CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED *

LED STEP EDGE PROFILE ALFERPROSTEP INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
10	250	LED ASP AE 100 SET	30,02
11	250	LED ASP AE 110 SET	31,30
12,5	250	LED ASP AE 125 SET	32,96
10	250	LED ASP AESC 100 GB SET	36,65
11	250	LED ASP AESC 110 GB SET	37,85
12,5	250	LED ASP AESC 125 GB SET	39,45
10	250	LED ASP AET 100 GGB SET	40,60
11	250	LED ASP AET 110 GGB SET	41,86
12,5	250	LED ASP AET 125 GGB SET	43,40
10	250	LED ASP AES 100 SET	32,49
11	250	LED ASP AES 110 SET	33,76
12,5	250	LED ASP AES 125 SET	35,42

* with black diffusing disc

LED END CAP – LEFT SIDE ALFERPROSTEP

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
10	LED ASP AE 100-L	23,78
11	LED ASP AE 110-L	23,78
12,5	LED ASP AE 125-L	23,78
<hr/>		
10	LED ASP AESC 100 GB-L	24,96
11	LED ASP AESC 110 GB-L	24,96
12,5	LED ASP AESC 125 GB-L	24,96
<hr/>		
10	LED ASP AET 100 GGB-L	27,34
11	LED ASP AET 110 GGB-L	27,34
12,5	LED ASP AET 125 GGB-L	27,34
<hr/>		
10	LED ASP AES 100-L	24,40
11	LED ASP AES 110-L	24,40
12,5	LED ASP AES 125-L	24,40

LED END CAP – RIGHT SIDE ALFERPROSTEP

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
10	LED ASP AE 100-R	23,78
11	LED ASP AE 110-R	23,78
12,5	LED ASP AE 125-R	23,78
<hr/>		
10	LED ASP AESC 100 GB-R	24,96
11	LED ASP AESC 110 GB-R	24,96
12,5	LED ASP AESC 125 GB-R	24,96
<hr/>		
10	LED ASP AET 100 GGB-R	27,34
11	LED ASP AET 110 GGB-R	27,34
12,5	LED ASP AET 125 GGB-R	27,34
<hr/>		
10	LED ASP AES 100-R	24,40
11	LED ASP AES 110-R	24,40
12,5	LED ASP AES 125-R	24,40

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED


TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED



alferlight

LED PROFILES




Application LED step edge profile alferstep
 alferlight – With the new LED stair edge profile and the matching strips, you can ideally light up your staircase.

LED STEP EDGE PROFILE ALFERSTEP INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

ALUMINIUM



SILVER
 ANODIZED

CHROME
 ANODIZED
 BRUSHED

TITANIUM
 ANODIZED
 HIGH GLOSS
 BRUSHED

BLACK
 ANODIZED *

Height h (mm)	Length (cm)	Reference	Price €/metre
10	250	LED AS AE 100 SET	30,02
11	250	LED AS AE 110 SET	31,30
12,5	250	LED AS AE 125 SET	32,96
<hr/>			
10	250	LED AS AESC 100 GB SET	36,65
11	250	LED AS AESC 110 GB SET	37,85
12,5	250	LED AS AESC 125 GB SET	39,45
<hr/>			
10	250	LED AS AET 100 GGB SET	40,60
11	250	LED AS AET 110 GGB SET	41,86
12,5	250	LED AS AET 125 GGB SET	43,40
<hr/>			
10	250	LED AS AES 100 SET	32,49
11	250	LED AS AES 110 SET	33,76
12,5	250	LED AS AES 125 SET	35,42

* with black diffusing disc

LED END CAP – LEFT SIDE ALFERSTEP

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
10	LED AS AE 100-L	23,78
11	LED AS AE 110-L	23,78
12,5	LED AS AE 125-L	23,78
<hr/>		
10	LED AS AESC 100 GB-L	24,96
11	LED AS AESC 110 GB-L	24,96
12,5	LED AS AESC 125 GB-L	24,96
<hr/>		
10	LED AS AET 100 GGB-L	27,34
11	LED AS AET 110 GGB-L	27,34
12,5	LED AS AET 125 GGB-L	27,34
<hr/>		
10	LED AS AES 100-L	24,40
11	LED AS AES 110-L	24,40
12,5	LED AS AES 125-L	24,40

LED END CAP – RIGHT SIDE ALFERSTEP

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
10	LED AS AE 100-R	23,78
11	LED AS AE 110-R	23,78
12,5	LED AS AE 125-R	23,78
<hr/>		
10	LED AS AESC 100 GB-R	24,96
11	LED AS AESC 110 GB-R	24,96
12,5	LED AS AESC 125 GB-R	24,96
<hr/>		
10	LED AS AET 100 GGB-R	27,34
11	LED AS AET 110 GGB-R	27,34
12,5	LED AS AET 125 GGB-R	27,34
<hr/>		
10	LED AS AES 100-R	24,40
11	LED AS AES 110-R	24,40
12,5	LED AS AES 125-R	24,40

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED






Application LED wall corner profile

alferlight – With the wall corner profile, you can illuminate any outside corner of your room. The wide viewing area is a perfect accent lighting.

ALUMINIUM



**SILVER
ANODIZED**

**CHROME
ANODIZED
BRUSHED**

**TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED**

**BLACK
ANODIZED ***

**LED WALL CORNER PROFILE
INCL. DIFFUSING DISC**

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
11	250	LED AW AE 110 SET	32,67
11	250	LED AW AESC 110 GB SET	39,29
11	250	LED AW AET 110 GGB SET	43,24
11	250	LED AW AES 110 SET	35,14

* with black diffusing disc

LED END CAP WALL CORNER PROFILE

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED AW AE 110-E	23,78
11	LED AW AESC 110 GB-E	24,96
11	LED AW AET 110 GGB-E	27,34
11	LED AW AES 110-E	24,40

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED





alferlight

LED PROFILES



Application wall inside corner profile

alferlight – The wall inside corner profile completes our range so that you are now able to highlight the dark corners of your room. The wide viewing area is a perfect accent lighting.

ALUMINIUM



SILVER
ANODIZED

CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED *

LED WALL INSIDE CORNER PROFILE INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
11	250	LED IW AE 110 SET	32,67
11	250	LED IW AESC 110 GB SET	39,30
11	250	LED IW AET 110 GGB SET	43,24
11	250	LED IW AES 110 SET	35,14

* with black diffusing disc

LED WALL INSIDE CORNER PROFILE END CAP

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED IW AE 110-E	23,78
11	LED IW AESC 110 GB-E	24,97
11	LED IW AET 110 GGB-E	27,34
11	LED IW AES 110-E	24,40

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED





alferlight


LED PROFILES



Application LED Listelli profile and skirting board

alferlight – When illuminated, our decorative Listelli profiles and skirting boards are a real eye-catcher and will lead your way in the dark.

ALUMINIUM



SILVER
ANODIZED

CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED *

LED LISTELLI PROFILE INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Width b (mm)	Length (cm)	Reference	Price €/metre
11	20	250	LED ASL AE 20 SET	21,08
11	20	250	LED ASL AESC 20 GB SET	26,36
11	20	250	LED ASL AET 20 GGB SET	29,20
11	20	250	LED ASL AES 20 SET	23,54

* with black diffusing disc

LED LISTELLI PROFILE, INDIRECT LIGHTING 90° CORNER PIECE

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED ASL AE 110-90	23,78
11	LED ASL AESC 110 GB-90	24,97
11	LED ASL AET 110 GGB-90	27,34
11	LED ASL AES 110-90	24,40

LED END CAP LISTELLI PROFILE

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED ASL AE 110-E	23,78
11	LED ASL AESC 110 GB-E	24,96
11	LED ASL AET 110 GGB-E	27,34
11	LED ASL AES 110-E	24,40

LED SKIRTING BOARD INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
60	250	LED ASS AE 60 SET	35,34

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED

SILVER
ANODIZED

ALUMINIUM




CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED

SILVER
ANODIZED

ALUMINIUM





Application LED Listelli profile

alferlight – In addition to the existing Listelli profile, a second border profile with double-sided indirect lighting has been developed. The two-piece profile consists of a support profile and a cover profile. The cover profile adapts individually to tile thicknesses of 6 – 12,5mm.

LED LISTELLI PROFILE, INDIRECT LIGHTING INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

ALUMINIUM



SILVER ANODIZED

CHROME ANODIZED BRUSHED

TITANIUM ANODIZED HIGH GLOSS BRUSHED

Dimension b (mm)	Length (cm)	Reference	Price €/metre
40	250	LED ASL AE 40 SET	39,57
40	250	LED ASL AESC 40 GB SET	43,32
40	250	LED ASL AET 40 GGB SET	45,77

**A PROFILE FOR
TILES FROM
6 – 12,5 mm**



alferlight





Application LED edging profiles

alferlight – Two new indirectly illuminated edging profiles complete the square and quadrant profiles with direct lighting. Both profiles are perfect for illuminating rooms atmospherically. Depending on the profile, you can either immerse the ceiling or floor area in the appropriate light.

LED EDGING PROFILE, INDIRECT LIGHTING FOR CEILING INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

ALUMINIUM



h L

SILVER ANODIZED

CHROME ANODIZED BRUSHED

TITANIUM ANODIZED HIGH GLOSS BRUSHED

BLACK ANODIZED *

Height h (mm)	Length (cm)	Reference	Price €/metre
13	250	LED AD AE 110 SET	31,30
13	250	LED AD AESC 110 GB SET	41,86
13	250	LED AD AET 110 GGB SET	43,40
13	250	LED AD AES 110 SET	33,76

* with black diffusing disc

LED EDGING PROFILE, INDIRECT LIGHTING FOR CEILING END CAP

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
13	LED AD AE 110-E	23,78
13	LED AD AESC 110 GB-E	24,97
13	LED AD AET 110 GGB-E	27,34
13	LED AD AES 110-E	24,40

END CAP FOR CEILING LED EDGING PROFILE

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
13	LED AD AE 110-LR	23,78
13	LED AD AESC 110 GB-LR	24,97
13	LED AD AET 110 GGB-LR	27,34
13	LED AD AES 110-LR	24,40

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED





alferlight

LED PROFILES



Application LED edging profiles

alferlight – Two new indirectly illuminated edging profiles complete the square and quadrant profiles with direct lighting. Both profiles are perfect for illuminating rooms atmospherically. Depending on the profile, you can either immerse the ceiling or floor area in the appropriate light.

LED EDGING PROFILE, INDIRECT LIGHTING FOR FLOOR INCL. DIFFUSING DISC

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

ALUMINIUM



SILVER ANODIZED

CHROME ANODIZED BRUSHED

TITANIUM ANODIZED HIGH GLOSS BRUSHED

*BLACK ANODIZED

Height h (mm)	Length (cm)	Reference	Price €/metre
11	250	LED AB AE 110 SET	31,30
11	250	LED AB AESC 110 GB SET	41,86
11	250	LED AB AET 110 GGB SET	43,40
11	250	LED AB AES 110 SET	33,76

* with black diffusing disc

LED EDGING PROFILE, INDIRECT LIGHTING FOR FLOOR END CAP

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED AB AE 110-A	23,78
11	LED AB AESC 110 GB-A	24,97
11	LED AB AET 110 GGB-A	27,34
11	LED AB AES 110-A	24,40

END CAP FOR FLOOR LED EDGING PROFILE

Qty. = 1 pc./blister

Height h (mm)	Reference	Price €/pcs.
11	LED AB AE 110-E	23,78
11	LED AB AESC 110 GB-E	24,97
11	LED AB AET 110 GGB-E	27,34
11	LED AB AES 110-E	24,40

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED

SILVER
ANODIZED

ALUMINIUM



CHROME
ANODIZED
BRUSHED

TITANIUM
ANODIZED
HIGH GLOSS
BRUSHED

BLACK
ANODIZED





alferlight

LED PROFILES



IMPLEMENTATION AND TECHNICAL DETAILS

Brightness and colour

Depending on the desired mood you can use LED strips in warm white (3000 K), neutral white (4000 K) or dynamic (2700–5000 K). Reliable adherence to the colour temperature ensures excellent colour reproduction (CRI/Ra). By choosing the RGBW model the full colour spectrum can be controlled by radio signal, bluetooth or DALI.

Smart home connectivity


The control of light colour and brightness can also be controlled by the Smart Home System (e.g. Amazon® Alexa or Google®).

Easy installation

alferlight is supplied ready to use, no tools required. All parts are connected using connectors without tools. The power connection is simply a power supply pack using a standard socket. An electrician is not necessary. The operating voltage is 24V in the low voltage range, the protection classes are IP 20 and IP 54. Therefore, the LED profiles with IP 54 can also be installed in bathrooms in Zone 1 (DIN VDE 0100-701).

- IP 20 or IP 54
- IP 54

SCHEMATIC DIAGRAM



MAXIMUM STRIP LENGTH PER TRANSFORMER SEE THE OVERVIEW

	TRANSFORMER 150 W (LED T150)	TRANSFORMER 100 W (LED T100)	TRANSFORMER 60 W (LED T60)	TRANSFORMER 30 W (LED T30)	TRANSFORMER 15 W (LED T15)
LED STANDARD STRIP 24 V DC Max. 7,5 m/slot Max. 60 W/slot Approx. 8 W/m	18,75m total But only max. 7,5 m/slot	12,5m total But only max. 7,5 m/slot	7,5m total	3,75m total	1,87 m total
LED STANDARD SILICON STRIP Max. 7,5 m/slot Max. 60 W/slot Approx. 8 W/m	18,75m total But only max. 7,5 m/slot	12,5m total But only max. 7,5 m/slot	7,5m total	3,75m total	1,87 m total
LED STANDARD ACCENT STRIP Max. 15 m/slot Max. 60 W/slot Approx. 4 W/m	37,5m total But only max. 15 m/slot	25m total But only max. 15 m/slot	15m total	7,5m total	3,75m total
LED DYNAMIC STRIP Max. 3,15 m/slot Max. 60 W/slot Approx. 19 W/m	7,8m total But only max. 3,15 m/slot	5,26m total But only max. 3,15 m/slot	3,15m total	1,57m total	0,78m total
LED RGBW STRIP Max. 5 m/slot Max. 120 W/controller Max. 90 W/slot Approx. 17,6 W/m	8,52m total But only max. 5 m/slot	5,68m total But only max. 5 m/slot	3,4m total	1,70m total	0,85m total
LED FLEXIBLE SET Max. 5 m/slot Max. 60 W/slot Approx. 10 W/m	15m total But only max. 6 m/slot	10m total But only max. 6 m/slot	6m total	3m total	1,5m total
LED COB-4 STRIPE Max. 10 m/slot Max. 60 W/slot Approx. 5 W/m	30m total But only max. 12 m/slot	20m total But only max. 12 m/slot	12m total	6m total	3m total
LED COB-10 STRIPE Max. 5 m/slot Max. 60 W/slot Approx. 9,6 W/m	15,62m total But only max. 6 m/slot	10,41 m total But only max. 6 m/slot	6,25m total	3,12m total	1,56m total


Further information can be found in our series brochure „alferlight – Technical brochure“ or at alferpro.com



alferlight

LED PROFILES

All stripes can be dimmed and are controllable via app. For more information please visit www.alferpro.com



IP 20

LED STANDARD STRIP 24 V DC

8 W/m Demand per metre

SL/S = 6 m max. strip length per slot

120 LED/m, 120 lm/W, CRI>95, L70/B10 ≥ 50.000 h

PU = 1 Piece including connecting cable 250 cm and plug


Luminous colour	Length (cm)	Reference	Price €/metre
3000 K	150	LED S 3000K	46,51
	250	LED S 3000K	46,51
	500	LED S 3000K	46,51
4000 K	150	LED S 4000K	46,51
	250	LED S 4000K	46,51
	500	LED S 4000K	46,51

xw = extra warm white (up to 3000 K)

ww = warm white (from 3000 K)

nw = neutral white (from 4000 K)

cw = cold white (from 5000 K)




LED STANDARD SILICON STRIP

8 W/m Demand per metre

SL/S = 6 m max. strip length per slot


120 LED/m, 129 lm/W, CRI>85, L70/B10 ≥ 40.000 h

PU = 1 Piece including connecting cable 250 cm and plug



IP 54

Luminous colour	Length (cm)	Reference	Price €/metre
3000 K	150	LED S 3000K-S	46,51
	250	LED S 3000K-S	46,51
	500	LED S 3000K-S	46,51
4000 K	150	LED S 4000K-S	46,51
	250	LED S 4000K-S	46,51
	500	LED S 4000K-S	46,51




LED STANDARD ACCENT STRIP

4 W/m Demand per metre

SL/S = 10 m max. strip length per slot


60 LED/m, 120 lm/W, CRI>95, L70/B10 ≥ 50.000 h

PU = 1 Piece including connecting cable 250 cm and plug



IP 20

Luminous colour	Length (cm)	Reference	Price €/metre
3000 K	150	LED S 3000K-A	28,99
	250	LED S 3000K-A	28,99
	500	LED S 3000K-A	28,99
4000 K	150	LED S 4000K-A	28,99
	250	LED S 4000K-A	28,99
	500	LED S 4000K-A	28,99




LED DYNAMIC STRIP


19 W/m Demand per metre

SL/S = 3,12m max. strip length per slot

240 LED/m (120xw & 120nw), 129 lm/W, CRI>80, L70/B10 ≥ 50.000 h
PU = 1 Piece including connecting cable 250 cm and plug



Luminous colour	Length (cm)	Reference	Price €/metre
2700 – 5000 K	150	LED D2P 2700-5000K	127,23
	250	LED D2P 2700-5000K	127,23
	500	LED D2P 2700-5000K	127,23




LED RGBW STRIP


18 W/m Demand per metre

SL/S = 2,84m max. strip length per slot

60 LED/m, 49 lm/W, CRI>90, L70/B10 ≥ 40.000 h
PU = 1 Piece including connecting cable 250 cm and plug



Luminous colour	Length (cm)	Reference	Price €/metre
RGBW	150	LED RGBW	53,80
	250	LED RGBW	53,80
	500	LED RGBW	53,80



LED FLEXIBLE SET

10 W/m Demand per metre

SL/S = 5m max. tape length per slot

140 LED/m
PU = 1 Set consisting of tape and U-profile incl. connecting cable 250 cm and plug

Luminous colour	Length (cm)	Reference	Price €/metre
3000 K	150	LED F 3000K SET	93,32
3000 K	250	LED F 3000K SET	93,32
4000 K	150	LED F 4000K SET	93,32
4000 K	250	LED F 4000K SET	93,32

LED PROFILE FOR FLOOR DESIGN

ALUMINIUM



IP 20





alferlight

LED PROFILES

**AREA LIGHT
WITHOUT VISIBLE
LED POINTS**


LED COB-4 STRIPE

5 W/m Demand per metre

SL/S = 10m max. strip length per slot

120lm/W, CRI > 90, L70/B10 ≥ 35.000 h

PU = 1 Piece including connecting cable 250cm and plug



IP 20


Luminous colour	Length (cm)	Reference	Price €/metre
3000 K	150	LED COB4 3000K	53,07
	250	LED COB4 3000K	53,07
	500	LED COB4 3000K	53,07
4000 K	150	LED COB4 4000K	53,07
	250	LED COB4 4000K	53,07
	500	LED COB4 4000K	53,07

xw = extra warm white (up to 3000K)

ww = warm white (from 3000K)

nw = neutral white (from 4000K)

cw = cold white (from 5000K)




LED COB-10 STRIPE

9,6 W/m Demand per metre

SL/S = 5m max. strip length per slot


110lm/W, CRI > 90, L70/B10 ≥ 40.000 h

PU = 1 Piece including connecting cable 250cm and plug



IP 20

Luminous colour	Length (cm)	Reference	Price €/metre
3000 K	150	LED COB10 3000K	61,92
	250	LED COB10 3000K	61,92
	500	LED COB10 3000K	61,92
4000 K	150	LED COB10 4000K	61,92
	250	LED COB10 4000K	61,92
	500	LED COB10 4000K	61,92







alferlight

LED PROFILES

GENERAL ACCESSORIES

Transformer, 12 distribution boxes



Power (W)	Cable length (cm)	Reference	Price €/pc.
15	200	LED T15	38,80
30*	200	LED T30	67,46
60	200	LED T60	117,32
100	200	LED T100	158,98
150	200	LED T150	276,13



Extension cable



Details	Cable length (cm)	Reference	Price €/pc.
Transformer to Standard and Dynamic Strip	250	LED VK-S250	7,08



STANDARD AND DYNAMIC STRIP ACCESSORIES

Connecting cable



Details	Cable length (cm)	Reference	Price €/pc.
Clip to strip, plug to transformer	250	LED AL-S250	7,38



Connecting clips



Details	Reference	Price €/pc.
Corner clip 90° between two strips	LED ECK-S	7,58
Clip straight between two strips	LED VB-S	2,80



Connection cable



Details	Cable length (cm)	Reference	Price €/pc.
Between two strips	20	LED VBK-S20	4,82
Between two strips	50	LED VBK-S50	5,32
Between two strips	250	LED VBK-S250	8,85



STANDARD STRIP ACCESSORIES

Dimming controller

Details	Reference	Price €/pc.
1. Installed radio with 12-way distributor / max. 80W	LED SD-E	152,37
2. Mounted radio with 12-way distributor / max. 80W	LED SD-A	128,80
3. Sonar / max. 48W / Cable length 250 cm The installation of the sonar switch works with every non metallic material up to a strength of 40mm.	LED SD-SONAR	47,74
4. Bluetooth with 12-way distributor / max. 120W (smart-home-capable)	LED SD-BLE	225,05
5. Controller including flush mounted touch module / max. 80W	LED SD-TAST	152,37

IMPORTANT NOTE: THE INSTALLATION OF THE FLUSH MOUNTED TOUCH MODULE INCLUDING CONTROLLER HAS TO BE CARRIED OUT BY A QUALIFIED ELECTRICIAN.



DYNAMIC STRIP ACCESSORIES

Dimming controller

Details	Reference	Price €/pc.
1. Installed radio with 12-way distributor / max. 75W	LED DD-E	152,37
2. Mounted radio with 12-way distributor / max. 75W	LED DD-A	128,80
3. Bluetooth with 12-way distributor / max. 120W (smart-home-capable)	LED DD-BLE	225,05
4. Controller including flush mounted touch module / max. 75W	LED DD-TAST	152,37


IMPORTANT NOTE: THE INSTALLATION OF THE FLUSH MOUNTED TOUCH MODULE INCLUDING CONTROLLER HAS TO BE CARRIED OUT BY A QUALIFIED ELECTRICIAN.



RGBW STRIP ACCESSORIES


Connecting cable

Details	Cable length (cm)	Reference	Price €/pc.
Clip to strip, plug to transformer	250	LED AL-RGBW250	31,47



Extension cable

Details	Cable length (cm)	Reference	Price €/pc.
Clip straight between two strips		LED VB-RGBW	3,77
Connection cable between two strips	15	LED VBK-RGBW15	9,03



Dimming controller

Details	Reference	Price €/pc.
1. 1 channel with 7-way distributor / max. 120W	LED RGBWD-1K	409,06
2. Bluetooth with 7-way distributor / max. 120W (smart-home-capable)	LED RGBWD-BLE	241,89

