



# alferline

## SHOWER CHANNELS AND PROFILES

---

**Stainless steel shower channels for the highest standards of design and reliability.**

Shower channels are the most elegant way of draining level-access showers. Give your shower a personalised touch and benefit from the flexibility and attractive design.

**Design meets flexibility:** alferline slim flex! Customisable without tile waste. Reliable drainage and stylish design, high-quality stainless steel and easy handling. Customise your shower and benefit from the maximum flexibility of our new shower channel!

Apart from the shower channel, alferline has a lot more to offer: From the shower wall panel to the gradient wedge to the glass profile, you will find everything you need to install your dream shower.

- **LOW INSTALLATION HEIGHT**
- **VARIABLE CONSTRUCTION HEIGHT**
- **FACTORY SEALING FOR A PERFECT LAYING RESULT**
- **SECOND DRAINAGE LEVEL**
- **EXCELLENT DRAINAGE CAPACITY**





alferline





# alferline


## SHOWER CHANNELS AND -PROFILES



### alferline slim flex, the shower channel that can be flexibly cut to length

alferline slim flex is the shower channel that can be individually adapted. With an installation height of 60mm to 100mm and two initial lengths of 1000mm and 1200mm, it can be used variably for any project. The shower channel can be cut to length up to 320mm.

The channel is made of high-quality stainless steel, does not rust and can be cut to length with standard tools so that it fits exactly into the shower. This means there is no more tile waste or unsightly mitre cuts. The channel is suitable for tile thicknesses from 0mm to 30mm.



**STAINLESS STEEL  
V2A**



**BRUSHED  
(240K)**

**BLACK  
POWDER-COATED  
MATT**

**STONE GREIGE  
POWDER-COATED  
NEW**

### SHOWER CHANNEL ALFERLINE SLIM FLEX

Qty. = 1 piece

Visible dimension (mm)	Reference	Price €/pc.
1000	ALIS EGB Flex 100	<b>360,00</b>
1200	ALIS EGB Flex 120	<b>385,00</b>
<hr/>		
1000	ALIS E50 Flex 100	<b>405,00</b>
1200	ALIS E50 Flex 120	<b>430,00</b>
<hr/>		
1000	ALIS E51 Flex 100	<b>405,00</b>
1200	ALIS E51 Flex 120	<b>430,00</b>

**Matching drains on p.167**

**LOW INSTALLATION HEIGHT AND EXCELLENT DISCHARGE VALUES**



### Shower channel slim plus with EPS block and integrated sealing collar

alferline slim plus is a shower channel system for very low installation heights. With a total installation height of only 60mm, it is also suitable for refurbishments besides new buildings.

The EPS hard foam block makes positioning on the screed simple and no additional lining is required. With the two-piece substructure the installation height can freely vary from 60mm to 80mm.

A drain with odour trap is already integrated. The shower channel has a second drainage level. Depending on the installation height, the draining capacity is up to 1 l/s. The shower channel is suitable for tile thicknesses from 11 mm to 18 mm. An optimal connection with the composite seal is ensured by the sealing applied at the factory. In addition, we recommend the alferground range.

The shower channels and covers are made of high quality stainless steel. Tile trough and siphon are very easy to clean.



### SHOWER CHANNEL SLIM PLUS WITH EPS BLOCK

Qty. = 1 piece

Visible dimension (mm)	Installation dimension (mm)	Reference	Price €/pc.
600	690	ALISP EPS 60	<b>264,79</b>
700	790	ALISP EPS 70	<b>289,06</b>
800	890	ALISP EPS 80	<b>317,61</b>
900	990	ALISP EPS 90	<b>357,58</b>

**STAINLESS STEEL V2A**



alferline





# alferline













## SHOWER CHANNELS AND -PROFILES

**STAINLESS STEEL  
V2A**



### MATCHING DESIGNER GRATES FOR SHOWER CHANNEL SLIM PLUS

Qty. = 1 piece

ALISP Bubble	Detail	Length (mm)	Reference	Price €/pc.
		600	ALISP Bubble 60	<b>172,98</b>
		700	ALISP Bubble 70	<b>190,82</b>
		800	ALISP Bubble 80	<b>208,66</b>
		900	ALISP Bubble 90	<b>220,54</b>
<hr/>				
ALISP CovFM				
		600	ALISP CovFM 60	<b>114,74</b>
		700	ALISP CovFM 70	<b>126,63</b>
		800	ALISP CovFM 80	<b>144,45</b>
		900	ALISP CovFM 90	<b>168,22</b>
<hr/>				
ALISP FM				
		600	ALISP FM 60	<b>111,39</b>
		700	ALISP FM 70	<b>125,93</b>
		800	ALISP FM 80	<b>140,45</b>
		900	ALISP FM 90	<b>154,99</b>
<hr/>				
ALISP Greka				
		600	ALISP Greka 60	<b>172,98</b>
		700	ALISP Greka 70	<b>190,82</b>
		800	ALISP Greka 80	<b>208,66</b>
		900	ALISP Greka 90	<b>220,54</b>
<hr/>				
ALISP Nova				
		600	ALISP Nova 60	<b>172,98</b>
		700	ALISP Nova 70	<b>190,82</b>
		800	ALISP Nova 80	<b>208,66</b>
		900	ALISP Nova 90	<b>220,54</b>
<hr/>				
ALISP Square				
		600	ALISP Square 60	<b>172,98</b>
		700	ALISP Square 70	<b>190,82</b>
		800	ALISP Square 80	<b>208,66</b>
		900	ALISP Square 90	<b>220,54</b>
<hr/>				

## MATCHING DRAINS FOR SHOWER CHANNELS SLIM PLUS

Qty. = 1 piece

Reference	Drainage capacity	Price €/pc.
ALISP AS		<b>48,67</b>
Vertical drain	0,8 l/s	



ALISP AW 60		<b>48,67</b>
Horizontal drain 60	0,7 l/s	



ALISP AW 80		<b>58,40</b>
Horizontal drain 80	1,0 l/s	



## MATCHING DRAINS FOR SHOWER CHANNELS SLIM FLEX

Qty. = 1 piece

ALISP AS		<b>48,67</b>
Vertical drain	0,8 l/s	



ALIS AW 60		<b>48,67</b>
Vertical drain	0,8 l/s	



**PLASTIC**





# alferline


## SHOWER CHANNELS AND -PROFILES



### Application shower screen panels

alferline – The shower screen panels compensate the different wall heights in the area of the deeper sloping floors. The profile is compatible with the alferpro slope wedges and is pressed into the tile adhesive.

**STAINLESS STEEL  
V2A**



**BRUSHED  
(240K)**


**BLACK  
POWDER-COATED  
MATT**

**STONE GREIGE  
POWDER-COA-  
TED  
NEW**

### SHOWER SCREEN PANELS

Qty. = 1 piece

Height <b>h</b> (mm)	Dimension <b>b</b> (mm)	Length (cm)	Reference	Price <b>€/pc.</b>
6	25	100	ALWB E 25 GB	<b>25,92</b>
		150	ALWB E 25 GB	<b>33,71</b>
6	35	100	ALWB E 35 GB	<b>31,34</b>
		150	ALWB E 35 GB	<b>40,75</b>
6	25	100	ALWB E 2550	<b>31,10</b>
		150	ALWB E 2550	<b>40,45</b>
6	35	100	ALWB E 3550	<b>37,61</b>
		150	ALWB E 3550	<b>48,90</b>
6	25	100	ALWB E 2551	<b>31,10</b>
		150	ALWB E 2551	<b>40,45</b>
6	35	100	ALWB E 3551	<b>37,61</b>
		150	ALWB E 3551	<b>48,90</b>



### Application slope wedge

alferline – The slope wedge connects the flat covering with the two-percent slope of line drainage and is available in right and left versions. The slope wedge is installed with the separately available alferbasic angle profile.

### SLOPE WEDGE LEFT

Qty. = 1 piece

Height <b>h</b> (mm)	Length (cm)	Reference	Price <b>€/pcs.</b>
8	100	ALGK E GB-L	<b>57,38</b>
	150	ALGK E GB-L	<b>71,72</b>
	200	ALGK E GB-L	<b>91,80</b>


### SLOPE WEDGE RIGHT

Qty. = 1 piece

Height <b>h</b> (mm)	Length (cm)	Reference	Price <b>€/pcs.</b>
8	100	ALGK E GB-R	<b>57,38</b>
	150	ALGK E GB-R	<b>71,72</b>
	200	ALGK E GB-R	<b>91,80</b>

BRUSHED  
(240K)

STAINLESS STEEL  
V2A





# alferline


## SHOWER CHANNELS AND -PROFILES



### Application wall slope wedge

alferline – The wall slope wedge is used for direct connection to the wall. The profile can be used on both sides and is pressed directly into the tile adhesive.

**STAINLESS STEEL  
V2A**



**BRUSHED  
(240K)**


**BLACK  
POWDER-COATED  
MATT**

**STONE GREIGE  
POWDER-COATED  
NEW**

### WALL SLOPE WEDGE

Qty. = 1 piece

Height <b>h</b> (mm)	Dimension <b>b</b> (mm)	Length (cm)	Reference	Price <b>€/pcs.</b>
8	28	100	ALWGK E GB	<b>57,38</b>
	38	150	ALWGK E GB	<b>71,72</b>
	48	200	ALWGK E GB	<b>91,80</b>
8	28	100	ALWGK E 50	<b>68,86</b>
	38	150	ALWGK E 50	<b>86,06</b>
	48	200	ALWGK E 50	<b>110,16</b>
8	28	100	ALWGK E 51	<b>68,86</b>
	38	150	ALWGK E 51	<b>86,06</b>
	48	200	ALWGK E 51	<b>110,16</b>



### Application glass profile

alferline – With the glass profile, up to 10 mm thick glass partitions are fixed easily, quickly and elegantly on walls and floors.

### GLASS PROFILE

Qty. = 1 piece

Height <b>h</b> (mm)	Length (cm)	Reference	Price €/metre
8	250	APGL E 80 GB	<b>56,59</b>
10	250	APGL E 100 GB	<b>59,10</b>
12,5	250	APGL E 125 GB	<b>62,87</b>
<hr/>			
8	250	APGL E 8050	<b>69,04</b>
10	250	APGL E 10050	<b>72,10</b>
12,5	250	APGL E 12550	<b>76,70</b>
<hr/>			
8	250	APGL E 8051	<b>69,04</b>
10	250	APGL E 10051	<b>72,10</b>
12,5	250	APGL E 12551	<b>76,70</b>

### GLASS PROFILE

Qty. = 1 piece

Height <b>h</b> (mm)	Length (cm)	Reference	Price €/metre
8	250	APGL AE 80	<b>17,30</b>
10	250	APGL AE 100	<b>17,96</b>
12,5	250	APGL AE 125	<b>18,78</b>
<hr/>			
8	250	APGL AES 80	<b>20,40</b>
10	250	APGL AES 100	<b>20,77</b>
12,5	250	APGL AES 125	<b>21,29</b>

BRUSHED  
(240K)

**STAINLESS STEEL  
V2A**



INOX  
STAINLESS STEEL



BLACK  
POWDER-COATED  
MATT


STONE GREIGE  
POWDER-COATED  
**NEW**

alferline



SILVER  
ANODIZED

**ALUMINIUM**



BLACK  
ANODIZED



# alferline

## SHOWER CHANNELS AND -PROFILES



### Application glass slope wedge

alferline – With the one-piece glass slope wedge, glass partitions are easily and cleanly connected with the two-percent slope of line drainage systems. Available as right and left version.

### GLASS SLOPE WEDGE LEFT

Qty. = 1 piece

Height <b>h</b> (mm)	Length (cm)	Reference	Price <b>€/pcs.</b>
19	98	GGK E 190 GB-L	<b>117,23</b>
	120	GGK E 190 GB-L	<b>151,17</b>
	148	GGK E 190 GB-L	<b>163,51</b>
	200	GGK E 190 GB-L	<b>241,86</b>
19	98	GGK E 190050-L	<b>137,43</b>
	120	GGK E 190050-L	<b>175,35</b>
	148	GGK E 190050-L	<b>189,78</b>
19	98	GGK E 190051-L	<b>137,43</b>
	120	GGK E 190051-L	<b>175,35</b>
	148	GGK E 190051-L	<b>189,78</b>

### GLASS SLOPE WEDGE RIGHT

Qty. = 1 piece

Height <b>h</b> (mm)	Length (cm)	Reference	Price <b>€/pcs.</b>
19	98	GGK E 190 GB-R	<b>117,23</b>
	120	GGK E 190 GB-R	<b>151,17</b>
	148	GGK E 190 GB-R	<b>163,51</b>
	200	GGK E 190 GB-R	<b>241,86</b>
19	98	GGK E 190050-R	<b>137,43</b>
	120	GGK E 190050-R	<b>175,35</b>
	148	GGK E 190050-R	<b>189,78</b>
19	98	GGK E 190051-R	<b>137,43</b>
	120	GGK E 190051-R	<b>175,35</b>
	148	GGK E 190051-R	<b>189,78</b>

### STAINLESS STEEL V2A



### BRUSHED (240K)

### BLACK POWDER-COATED MATT

### STONE GREIGE POWDER-COATED NEW

### STAINLESS STEEL V2A



### BRUSHED (240K)

### BLACK POWDER-COATED MATT

### STONE GREIGE POWDER-COATED NEW



alferline





# alferline

## SHOWER CHANNELS AND -PROFILES



### Application slope wedge

alferline – The one-piece gradient wedge connects the level pavement with the two-percent gradient of line drainage systems and is available in right and left versions.

**STAINLESS STEEL  
V2A**



$h_f$



**BRUSHED  
(240K)**

**BLACK  
POWDER-COATED  
MATT**

**STONE GREIGE  
POWDER-COATED  
NEW**

### SLOPE WEDGE LEFT

Qty. = 1 piece

Height h (mm)	Length (cm)	Reference	Price €/pcs.
8	98	GK E 80 GB-L	<b>64,17</b>
	148	GK E 80 GB-L	<b>86,38</b>
10	98	GK E 100 GB-L	<b>66,02</b>
	148	GK E 100 GB-L	<b>89,47</b>
	200	GK E 100 GB-L	<b>129,57</b>
11	98	GK E 110 GB-L	<b>67,26</b>
	148	GK E 110 GB-L	<b>90,70</b>
	200	GK E 110 GB-L	<b>129,57</b>
12,5	98	GK E 125 GB-L	<b>68,49</b>
	148	GK E 125 GB-L	<b>91,94</b>
	200	GK E 125 GB-L	<b>129,57</b>
8	98	GK E 80050-L	<b>83,98</b>
	148	GK E 80050-L	<b>114,50</b>
	200	GK E 80050-L	<b>161,96</b>
10	98	GK E 100050-L	<b>84,56</b>
	148	GK E 100050-L	<b>115,74</b>
	200	GK E 100050-L	<b>161,96</b>
11	98	GK E 110050-L	<b>86,14</b>
	148	GK E 110050-L	<b>117,33</b>
	200	GK E 110050-L	<b>161,98</b>
8	98	GK E 80051-L	<b>83,98</b>
	148	GK E 80051-L	<b>114,50</b>
	200	GK E 80051-L	<b>161,96</b>
10	98	GK E 100051-L	<b>84,56</b>
	148	GK E 100051-L	<b>115,74</b>
	200	GK E 100051-L	<b>161,96</b>
11	98	GK E 110051-L	<b>86,14</b>
	148	GK E 110051-L	<b>117,33</b>
	200	GK E 110051-L	<b>161,98</b>

## SLOPE WEDGE RIGHT

Qty. = 1 piece

Height <b>h</b> (mm)	Length (cm)	Reference	Price <b>€/pcs.</b>
8	98	GK E 80 GB-R	<b>64,17</b>
	148	GK E 80 GB-R	<b>86,38</b>
10	98	GK E 100 GB-R	<b>66,02</b>
	148	GK E 100 GB-R	<b>89,47</b>
	200	GK E 100 GB-R	<b>129,57</b>
11	98	GK E 110 GB-R	<b>67,26</b>
	148	GK E 110 GB-R	<b>90,70</b>
	200	GK E 110 GB-R	<b>129,57</b>
12,5	98	GK E 125 GB-R	<b>68,49</b>
	148	GK E 125 GB-R	<b>91,94</b>
	200	GK E 125 GB-R	<b>129,57</b>
<hr/>			
8	98	GK E 80050-R	<b>83,98</b>
	148	GK E 80050-R	<b>114,50</b>
10	98	GK E 100050-R	<b>84,56</b>
	148	GK E 100050-R	<b>115,74</b>
200		GK E 100050-R	<b>161,98</b>
11	98	GK E 110050-R	<b>86,14</b>
	148	GK E 110050-R	<b>117,33</b>
200		GK E 110050-R	<b>161,98</b>
<hr/>			
8	98	GK E 80051-R	<b>83,98</b>
	148	GK E 80051-R	<b>114,50</b>
10	98	GK E 100051-R	<b>84,56</b>
	148	GK E 100051-R	<b>115,74</b>
200		GK E 100051-R	<b>161,98</b>
11	98	GK E 110051-R	<b>86,14</b>
	148	GK E 110051-R	<b>117,33</b>
200		GK E 110051-R	<b>161,98</b>

**BRUSHED  
(240K)**

**STAINLESS STEEL  
V2A**



**BLACK  
POWDER-COATED  
MATT**

**STONE GREIGE  
POWDER-COATED  
NEW**

