







alferpro[®]

YOUR BRAND FOR TILE EDGING
PROFILES AND SYSTEM SOLUTIONS



IMPRESSIVE
PRECISE
DETERMINED

**DEVELOPED AND PRODUCED
FOR THE COMMON SUCCESS**



Since the foundation of alferpro in 2015, we have been offering building materials trade and tile retailers high-quality products and an incomparable service. With our comprehensive product range, we are now a force to be reckoned with in the tile accessories market. Our goal is to constantly adapt our products to the requirements of the market.

Setting accents and design highlights makes the difference these days. Therefore, further development of our product range is a point that plays an important role for us. plays an important role. Not only are the individual series constantly being expanded, but also but also offer complete solutions across the series, which are coherent with each other and thus enable a homogeneous homogeneous appearance.


You can find our products on our homepage www.alferpro.com and of course, you can also find the new products in our alferpro app.*

You don't have the app on your smartphone yet? Then it's time now!

Do you need more detailed information or support for your next project? Then don't hesitate to contact us.

* Currently, only the German version is available for download.


















Android



iOS



Content

	Roll forming machines & Extrusion	05
	alferbasic Angle profiles	06
	alferquad Square edge profiles	06
	alfercircle Quater circle profiles	08
	alfercurve Pliable angle profiles	08
	alfercap T-profiles	09
	alfercap-round Edge jointcover profiles	09
	alferstep Step edge profiles	11
	alferflex Expansion joint profiles	11
	alferlevel Ramp profiles	12
	alfercorner Edge protecting profiles	12
	alferstyle Corner shelves, listelli profiles and skirting boards	14
	alferlight LED profiles	14
	alferbox Built-in niches	15
	alferline Shower channels	15
	alferground Sealing – Isolating – Draining	17
	alferbal Balcony angle profiles	17
	alfertool Range of accessories	18
	Customer service	19



ROLL FORMING MACHINES

Manufacturing on ultra-modern, partially automated equipment.

At the heart of our production, profiles are manufactured from flat products on four high-performance lines. Here, stainless steel is processed first and foremost, which requires special care and expertise. At speeds of up to 20 m/min, a wide variety of products with different cross-sections and lengths are produced. Qualified employees operate and monitor the partially automated equipment so that only the best and most controlled quality leaves our plant.



EXTRUSION

Quality on the production line.

In plastic production, profiles are extruded on three semi-automated machines at a speed of up to 10 m/min. The high-quality granules are liquefied and compressed and then are extruded with precision moulds into the required shape. A flying die cutter gives our alferpro hole pattern to the profiles before they are checked, labelled and packaged by our employees and then leave the factory.



alferbasic


ANGLE PROFILES



The finishing touches for tiles, parquet, laminate, design floors or carpet.

Whether as a closure or transition between coverings, the profiles of the alferbasic series protect the tile edges and create an elegant look. A variety of options, materials and finishes offers the right product for you and every application.

Height:	2,0 mm – 30,0 mm
Material:	Stainless steel V2A, Stainless steel V4A, Aluminium natural, Aluminium anodized, Aluminium powder-coated, Brass natural, Brass chrome-plated, Plastic



alferquad

SQUARE EDGE PROFILES



For modernists who like to set a trend.

The high quality profiles not only protect the edges of the covering, they frame it. Whether as a closure or discreet border, alferquad feels at home in any modern architecture.

Height:	4,5 mm – 12,5 mm
Material:	Stainless steel V2A, Aluminium anodized, Aluminium powder-coated, Brass chrome-plated







alfercircle

QUATER CIRCLE PROFILES



Rounded outer edges – safe and elegant.

The symmetrical cross section of the alfercircle gives coverings a smooth transition or closure. The discreetly rounded profiles not only look great, they also reduce the risk of scratches in case of impact. alfercircle – a round design in stainless steel, aluminium or plastic.

Height:	6,0mm – 12,5mm
Material:	Stainless steel V2A, Stainless steel V4A, Aluminium anodized, Aluminium powder-coated, Plastic



alfercurve

PLIABLE ANGLE PROFILES



Enliven the design of tile coverings.

alfercurve profiles are flexible thanks to their special die-cutting. They adapt to your individual curve guide. Transitions with elegant rounding can be implemented easily.

Height:	2,0mm – 30,0mm
Material:	Stainless steel V2A, Aluminium natural, Aluminium anodized





alfercap T-PROFILES



The smart covering for expansion joints and transitions between various floor surfaces.

Ceramic tiles are unimaginable without joints. However, they often interfere with the appearance. The alfercap profiles are pressed into the still wet silicone bed and they deftly conceal the transitions between the floor surfaces. These designer items are available in many trendy colours and high quality materials. The profiles can also be added subsequently. An elegant solution for covering thicknesses from 6mm.

Width:	14,0mm, 25,0mm
Material:	Stainless steel V2A, Aluminium natural, Aluminium anodized, Brass natural, Brass chrome-plated



alfercap-round EDGE JOINT COVER PROFILES



At last an end to unsightly silicone joints!

The concave profiles elegantly cover the joints between wall and floor or inside corners. The installation succeeds easily, because the profile is simply pushed into the wet silicone. With the alfercap round series, the joints are completely covered. An installation can also be done subsequently.

Height:	8,0mm, 12,0mm
Material:	Aluminium anodized, Aluminium powder-coated







alferstep

STEP EDGE PROFILES



Form meets function: style element and safety factor at the same time.

The steps provide creative transitions and structure to the space. Step edge profiles increase tread safety and protect the edge at the same time against mechanical strain.

Height: 8,0mm – 23,0mm
Material: Stainless steel V2A, Aluminium anodized, Plastic



alferflex

EXPANSION JOINT PROFILES




Discreet appearance despite strong effect. Laminate expansion joints with alferpro profiles.

Expansion joints are for compensating floor tensions in large areas, especially in public or commercial spaces and alferflex is a functional solution which prevents cracks in the flooring. In order to keep the continuous appearance of a surface with as little disturbance as possible, we have designed very slim expansion joint profiles. Additional colours on request.

Height: 2,0mm – 80,0mm
Material: Stainless steel V2A, Aluminium natural brushed, Plastic





alferlevel

RAMP PROFILES



The nicest thing in life is freedom. Eliminate interfering barriers!

Even the smallest differences in height often lead to significant limitations in everyday life. Especially in public areas or commercial areas this accessibility is disruptive and should be avoided. With the profiles of the alferlevel series, you can compensate for differences in levels of up to 20 mm – even outdoors. Whether pallet truck, wheelchair or inline skates, the profiles are robust and can make annoying obstacles disappear.

Height:	2,0mm – 30,0mm
Material:	Stainless steel V2A, Aluminium natural, Aluminium anodized



alfercorner


EDGE PROTECTING PROFILES



Stable and clean edges for tile coverings, plastered or wallpapered walls.

The profiles of the alfercorner series protect wall edges permanently from impact damage. Ideal in highly frequented areas such as hallways and public spaces. Thanks to timeless design and many options you will find the correct product for every application.

Height tileable:	8,0mm – 10,0mm
1-fold edged:	10,0mm – 50,0mm
3-fold edged:	25,0mm – 50,0mm
Material:	Stainless steel V2A, Stainless steel V4A, Aluminium anodized







alferstyle

CORNER SHELVES, LISTELLI PROFILES AND SKIRTING BOARDS




How about a little more style in your bathroom?

Do you always have your shower gel, shampoo and other items to hand? The alferstyle stainless steel corner shelves are not only suitable for shampoo and soap, but are also a real eye-catcher. They are available in three shapes - triangular, pentagonal and circular - and in a wide variety of designs.

Prove your style with decorative profiles from the alferstyle series.

Choose the matching decor for any environment from a wide range of different materials, surfaces and colours. Clear shapes accentuate the high-quality materials. Give spaces your personal character; from modern simplicity to timeless classicism.

Width : 200,0mm
Material: Stainless steel V2A



alferstyle corner shelves



alferlight

LED PROFILES




Lighten up the dark and ensure safety in a relaxed atmosphere.

Light in the strict sense is not an element. Therefore, light has a very strong impact on spacial effect. Apart from the design aspect, rooms with alferlight are also safer as they illuminate e.g. trip hazards and stairs. The LED profiles are installed like classic tile profiles when laying the tiles in the covering. Cables and power supply can be hidden under plaster or drywall.

Height: 10,0mm – 60,0mm
Material: Aluminium anodized
Luminous colour: warm white (from 3000 K), neutral white (from 4000 K), cold white (from 5000 K) - Light shade continuously controllable depending on model





alferbox

BUILT-IN NICHE



Good design is a niche.

The built-in niches, simply elegant or with integrated LED lighting, offer new possibilities for setting design highlights. Different colours and sizes allow for a variety of designs - not only in the bathroom, but everywhere in the house. Whether you create an absolute eye-catcher with the niches or let them blend in with the surrounding tiles: Everything is possible according to your taste. If you wish, you can even tile the boxes - with the surrounding tiles or perhaps a mosaic? There are no limits to what you can do.

Flange height:	8,0mm – 11,0mm
Width:	150,0mm – 600,0mm
Height :	300,0mm
Depth:	100,0mm
Material:	Stainless steel V2A



alferline

SHOWER CHANNELS AND PROFILES



Shower channels made of stainless steel for the highest demands in design and reliability.

Shower channels are the most elegant way of draining floor-level showers. Seven lengths and six design grates offer the right solution for every situation. Thanks to the hard foam body with drain, odour trap and horizontal outlet, the channel system is easy to position on the screed. A relining is not necessary. Drain and sealing form one unit and permanently protect against moisture. The total installation height is only 60 mm. Apart from the shower channel, alferline has a lot more to offer: From shower wall trim to slope wedge and glass profile, you will find everything you need to install the shower of your dreams.

Length:	50,0cm – 120,0cm
Material:	Stainless steel V2A



Designer grate ALISP Greka



**LOW INSTALLATION
HEIGHT AND EXCELLENT
DISCHARGE VALUES**





alferground

SEALING – ISOLATING – DRAINING



This plan is waterproof! With the alferground range we offer a highly reliable solution for the expansion and renovation of damp areas – indoors and outdoors.

Isolate the substrate from the covering. Our mats, bands and sheets are an effective protection against cracking. Prolong the durability of coverings in damp and wet areas. The products for indoor and outdoor use are 100 % waterproof and prevent moisture damage. Effective drainage in loosely laid coverings can be achieved by using our drainage mat.

Width: 12,0cm – 100,0cm
Mat thickness: 3,0mm – 8,0mm



alferbal


BALCONY ANGLE PROFILES




Designed to meet the special requirements on terraces and balconies.

Whether for new construction or retrofitting during renovation: with alferbal you are always on the right track. The balcony angle profiles protect the screed edge from the weather and provide a visually appealing finish. The drainage profiles allow seepage water to drain away quickly and the drip edge profiles protect the substrate from penetrating water. The subfloor from moisture penetration.

Height: 11,0mm – 95,0mm
Material: Stainless steel V2A, Aluminium anodized,
Aluminium powder-coated





alfertool

RANGE OF ACCESSORIES



Whether you need a levelling or a pedestal system – alfertool products complete your possibilities.

With the adjustable support system of alfertool you can loosely lay panels with heights from only 18 mm up to 560 mm. The support system can easily be placed and flexibly adjusted. The two leveling systems support the installer in laying even large-format and rectangular tiles. Choose your system for level coverings in perfection.




alferpro

CUSTOMER SERVICE

Do you already know the alferpro app? With it, you have access to the entire alferpro range, as well as various application examples and material information, anytime and anywhere.

In the alfertool area, we have created a configurator especially for planning and implementing terraces. On the basis of just a few entries, such as the dimensions of the terrace and the slabs intended for it, you will receive, in addition to a parts list, instructions for assembly and the matching accessories. Furthermore, you can use the data sheets stored in the app to read everything important about the properties and technical data of our products.

You don't have the alferpro app on your smartphone yet? Then it's time now!



Together for success.

We see ourselves as a competent partner for all questions concerning tile accessories. The alferpro sales team network is always by your side with expert advice. Our international customer service, located in Wutoeschigen, Germany, handles all customer enquiries and order processing functions. You benefit from the treasure trove of experience of our employees, which guarantees you expert advice. If you have any questions, please do not hesitate to contact us.

We would be pleased to assist you:

Telephone +49 7746 / 92 01 50 0
Fax +49 7746 / 92 01 85 00
E-Mail info.eng@alferpro.com

alferpro®

Industriestrasse 7 · 79793 Wutoeschingen · Germany
Tel +49 7746 92 01 500 · Fax +49 7746 92 01 85 00
f i y alferpro · info.en@alferpro.com · www.alferpro.com

EAN 4 001116 972324

