

alfercurve

PLIABLE ANGLE PROFILES

Enliven the design of tile coverings.

alfercurve profiles are flexible, thanks to their special die-cutting. They adapt to your individual curve guide. Transitions with elegant rounding can be implemented easily. The series includes profiles with a height of 2 mm to 30 mm. Get creative with alfercurve!






alfercurve
~

alfercurve

PLIABLE ANGLE PROFILES



Application pliable angle profile

alfercurve – Individually shapeable angle profiles fit perfectly into any situation. Round off the covering wherever closings are not desired.

**STAINLESS STEEL
V2A**

GLOSSY



PLIABLE ANGLE PROFILE

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
3	250	ACU E 30	9,33
4,5	250	ACU E 45	9,79
6	250	ACU E 60	10,03
8	250	ACU E 80	10,39
9	250	ACU E 90	10,64
10	250	ACU E 100	10,90
11	250	ACU E 110	11,13
12,5	250	ACU E 125	11,36


PLIABLE ANGLE PROFILE

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
2	250	ACU A 20	4,24
3	250	ACU A 30	4,32
4,5	250	ACU A 45	4,39
6	250	ACU A 60	4,61
8	250	ACU A 80	4,66
9	250	ACU A 90	4,70
10	250	ACU A 100	4,75
11	250	ACU A 110	4,89
12,5	250	ACU A 125	5,00
15	250	ACU A 150	5,37
17,5	250	ACU A 175	5,55
18,5	250	ACU A 185	5,71
20	250	ACU A 200	5,97
22	250	ACU A 220	6,21
25	250	ACU A 250	6,58
30	250	ACU A 300	6,82
<hr/>			
2	250	ACU AE 20	4,28
3	250	ACU AE 30	5,08
4,5	250	ACU AE 45	5,27
6	250	ACU AE 60	6,00
8	250	ACU AE 80	6,08
9	250	ACU AE 90	6,11
10	250	ACU AE 100	6,14
11	250	ACU AE 110	6,28
12,5	250	ACU AE 125	6,43
15	250	ACU AE 150	6,77
<hr/>			
6	250	ACU AEG 60	6,08
8	250	ACU AEG 80	6,14
9	250	ACU AEG 90	6,18
10	250	ACU AEG 100	6,21
11	250	ACU AEG 110	6,43
12,5	250	ACU AEG 125	6,64

NATURAL

ALUMINIUM



SILVER
ANODIZED

GOLD
ANODIZED