



alfercurve

PLIABLE ANGLE PROFILES

Enliven the design of tile coverings.

alfercurve profiles are flexible, thanks to their special die-cutting. They adapt to your individual curve guide. Transitions with elegant rounding can be implemented easily. The series includes profiles with a height of 2 mm to 30 mm. Get creative with alfercurve!








alfercurve

PLIABLE ANGLE PROFILES



Application pliable angle profile

alfercurve – Individually shapeable angle profiles fit perfectly into any situation. Round off the covering wherever closings are not desired.

**STAINLESS STEEL
V2A**

GLOSSY



INOX
STAINLESS STEEL

h



PLIABLE ANGLE PROFILE

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
3	250	ACU E 30	12,02
4,5	250	ACU E 45	12,61
6	250	ACU E 60	12,93
8	250	ACU E 80	13,39
9	250	ACU E 90	13,73
10	250	ACU E 100	14,04
11	250	ACU E 110	14,35
12,5	250	ACU E 125	14,63

PLIABLE ANGLE PROFILE

PU 1 = 10 pcs., PU 2 = 50 pcs., PU 3 = 150 pcs.

Height h (mm)	Length (cm)	Reference	Price €/metre
2	250	ACU A 20	5,47
3	250	ACU A 30	5,57
4,5	250	ACU A 45	5,67
6	250	ACU A 60	5,95
8	250	ACU A 80	6,01
9	250	ACU A 90	6,06
10	250	ACU A 100	6,12
11	250	ACU A 110	6,30
12,5	250	ACU A 125	6,45
15	250	ACU A 150	6,91
17,5	250	ACU A 175	7,15
18,5	250	ACU A 185	7,35
20	250	ACU A 200	7,70
22	250	ACU A 220	8,00
25	250	ACU A 250	8,47
30	250	ACU A 300	8,79
<hr/>			
2	250	ACU AE 20	5,51
3	250	ACU AE 30	6,55
4,5	250	ACU AE 45	6,79
6	250	ACU AE 60	7,74
8	250	ACU AE 80	7,84
9	250	ACU AE 90	7,87
10	250	ACU AE 100	7,91
11	250	ACU AE 110	8,09
12,5	250	ACU AE 125	8,29
15	250	ACU AE 150	8,73
<hr/>			
6	250	ACU AEG 60	7,84
8	250	ACU AEG 80	7,91
9	250	ACU AEG 90	7,96
10	250	ACU AEG 100	8,00
11	250	ACU AEG 110	8,29
12,5	250	ACU AEG 125	8,56

NATURAL

ALUMINIUM



SILVER
ANODIZED

GOLD
ANODIZED