



alfertool

RANGE OF ACCESSORIES

The plus factor for professionals.

Whether you need a device holder, a levelling or a pedestal system – alferpro products complete your possibilities.

With the adjustable support system of alferpro you can loosely lay panels with heights from only 18 up to 560 mm. The support system can easily be placed and flexibly adjusted.

The alferpro levelling system supports the installer in the laying of even large-format and rectangular tiles: The perfect system for even floor-coverings.







alfertool

RANGE OF ACCESSORIES



The alferpro adjustable support system is available in two versions and is suitable for the loose laying of panels with installation heights of only 18 to 560mm. Advantages of our pedestal support system are e.g. the simplicity and flexibility of its use. With the supports and extensions you can reach all heights you need for the design of your terrace, roof terrace or individual areas in the garden.

ADJUSTABLE PEDESTAL SUPPORT

alfertool – Height-adjustable pedestal support system from 18 to 36mm and 35 to 60mm. To be used predominantly in outdoor areas such as terraces. The base ensures a correct water drainage. Six to eight pedestal supports are sufficient for 1 m² floor laying.

Material
PP (Polypropylene)

Support surface
314 cm²

Head diameter
120 mm with a supporting surface
of 113 cm²

PEDESTAL SUPPORT MIKRO

Blister = 1 pc., ProPack = 30 pcs.

Reference	Description	Height h (mm)	Blister €/pc.	ProPack €/set	€/pc.
AT ST MI 42	Joint bridges 2 mm, height 10mm	18 – 36	6,70	191,70	6,39
AT ST MI 44	Joint bridges 4 mm, height 10mm	18 – 36	6,70	191,70	6,39



**PLASTIC
(PP)**

PEDESTAL SUPPORT MAKRO

Blister = 1 pc., ProPack = 30 pcs.

Reference	Description	Height h (mm)	Blister €/pc.	ProPack €/set	€/pc.
AT ST MA 42	Joint bridges 2 mm, height 10mm	35 – 60	7,20	205,50	6,85
AT ST MA 44	Joint bridges 4 mm, height 10mm	35 – 60	7,20	205,50	6,85



**PLASTIC
(PP)**





alfertool

RANGE OF ACCESSORIES



EXTENSIONS

To adjust the height of the support system individually, you can get extensions in height of 9, 25, 50 and 100mm. You simply plug the extensions into the base or into each other and turn them until they are fixed. This way you can increase the height up to 560mm.

Material
PP (Polypropylene)

EXTENSIONS

Blister = 1 pc., ProPack = 30 pcs.

Reference	Description	Height h (mm)	Blister €/pc.	ProPack €/set	€/pc.
AT ST MI E9	Only for pedestal support Mikro	9	1,09	31,20	1,04



AT ST MA E25	Only for pedestal support Makro	25	1,45	41,70	1,39
--------------	--	----	------	--------------	------



AT ST MA E50	Only for pedestal support Makro	50	1,82	52,20	1,74
--------------	--	----	------	--------------	------



AT ST MA E100	Only for pedestal support Makro	100	2,17	62,10	2,07
---------------	--	-----	------	--------------	------



PLASTIC (PP)





alfertool

RANGE OF ACCESSORIES



UNIVERSAL CLIP FOR WALL CONNECTIONS

Universal clip for the circulating laying of tiles and panels for floating floors. The clip is mounted on the head of the pedestal support and prevents the contact between flooring and wall thanks to its special shape. Therefore, every possible movement and expansion can be recorded. Especially for use with all alferpro pedestal support systems.

Material
Stainless steel

STAINLESS STEEL

UNIVERSAL CLIP FOR WALL CONNECTIONS

Blister = 1 pc., ProPack = 30 pcs.

Reference	Blister €/pc.	ProPack €/set	€/pc.
AT ST CW	11,86	339,00	11,30



CLIP FOR EDGE FINISHES

Clip-set for the veneering of exposed edge surfaces and covering of unattractive cutting edges. The base clip is mounted under the base, the head clip is mounted on the head of the pedestal support, whereby the riser can be safely fixed. With these clips you can design appealing and modern endings and steps when laying floating floorings without a wall connection. Especially for use with the alferpro pedestal support Makro.

Material
Stainless steel



CLIP FOR EDGE FINISHES

Blister = 1 pc., ProPack = 30 pcs.

Reference	Description	Width b (mm)	Blister €/pc.	ProPack €/set	€/pc.
AT ST CB10	Base clip 10	10	14,43	412,20	13,74



AT ST CK10	Head clip 10	10	11,47	327,60	10,92
------------	--------------	----	-------	---------------	-------



AT ST CB20	Base clip 20	20	15,36	438,90	14,63
------------	--------------	----	-------	---------------	-------



AT ST CK20	Head clip 20	20	11,47	327,60	10,92
------------	--------------	----	-------	---------------	-------



STAINLESS STEEL





alfertool

RANGE OF ACCESSORIES

NOISE REDUCTION MAT

Sound-absorbing anti-slip rubber mat for alferpro pedestal support systems. It is positioned under the base of the pedestal support to reduce footstep sounds up to 12 dB.

Material
Rubber (TPV)

Dimensions 200 × 200 mm

Height 3 mm

RUBBER (TPV)

NOISE REDUCTION MAT

Blister = 1 pc., ProPack = 30 pcs.

Reference	Height h (mm)	Blister €/pc.	ProPack €/set	€/pc.
AT ST 200	3	2,40	68,70	2,29



ANTI-SLIP NOISE REDUCTION DISC

Sound-absorbing anti-slip rubber disc. It is mounted on the head of the pedestal support.

Material
Rubber

Diameter 120 mm

Height 2 mm

RUBBER

ANTI-SLIP NOISE REDUCTION DISC

Blister = 1 pc., ProPack = 30 pcs.

Reference	Height h (mm)	Blister €/pc.	ProPack €/set	€/pc.
AT ST L	2	1,40	39,90	1,33



SLOPE DISCS

The levelling discs allows the compensation of slopes from 1 to 5%. Just lay the levelling disc onto the head of the support system and turn it to the required direction get it into the right position. The levelling discs guarantee a flat surface and reduce footstep sounds. You can also combine the levelling discs to adjust, for example, a slope of 6%: Disc 1% + disc 5% or 2 x disc 3%.

SLOPE DISCS

Blister = 1 pc., ProPack = 30 pcs.

Reference	Height h (mm)	Blister €/pc.	ProPack	
			€/set	€/pc.
AT ST G1 Slope: 1%	1	1,74	49,50	1,65



AT ST G3 Slope: 3%	3	1,88	53,70	1,79
---	---	------	--------------	------



AT ST G5 Slope: 5%	5	2,05	58,50	1,95
---	---	------	--------------	------



Material
Thermoplastic rubber

Diameter 120mm




**THERMOPLASTIC
RUBBER**





alfertool

RANGE OF ACCESSORIES



LEVELLING SYSTEM

alfertool – The alferpro levelling system ensures perfectly even laying of the tiles with just two elements. The screws with draw shackles are easily and quickly fixed with the rotary heads at the correct height and can be removed after curing without using tools. The rotary heads are reusable.


**Material
Plastic**

Joint width 2mm

**FOR TILE HEIGHTS
FROM 3 – 18 MM**




ROTARY HEAD

PU 1 = 50 pcs.

	Product	Reference	Material	Colour	Price €/pc.
	Rotary head	AT NDREH	Plastic	Transparent	42,16

SCREWS

PU 1 = 100 pcs.


	Product	Reference	Material	Colour	Price €/pc.
	Screw linear	AT NLIN 17	Plastic	Magenta	14,26
	Screw cross	AT NKREUZ 17	Plastic	Anthracite	14,26
	Screw T-shaped	AT NT 17	Plastic	White	14,26





alfertool

RANGE OF ACCESSORIES



WEDGE LEVELLING SYSTEM

alfertool – The wedge levelling system from alferpro stands for clean and simple processing and is especially suitable for laying large-format tiles in wall and floor areas.

The pull-tab is laid under the tiles. The wedge is then pushed in and the tiles are brought to the same level with the help of the pliers.

After the adhesive has dried, the pull tabs can be removed without the use of tools. And best of all: The wedges are reusable.



Material
Plastic

Joint width 2mm

**FOR TILE HEIGHTS
FROM 1 – 20 MM**


SHACKLE

PU 1 = 250 pcs. in a bag

	Product	Reference	Joint width (mm)	Colour	Price €/pc.
	Shackle for tile thickness up to 10 mm	AT KN ZL 1		white	24,36
		AT KN ZL 2		black	24,36
	Shackle for tile thickness from 10 to 20 mm	AT KN ZL 2H	2	grey	28,67


LEVELLING WEDGES

PU 1 = 100 pcs. in a bag

	Product	Reference	Length (mm)	Colour	Price €/pc.
	Levelling wedges	AT KN K		magenta	16,05


LEVELLING PLIERS

PU 1 = 1 pc./blister

	Product	Reference	Material	Colour	Price €/pc.
	Levelling pliers	AT KN Z	Steel/ Plastic	black	51,03

STARTER-SET

PU 1 = 1 bucket

	Product	Reference	Colour	Price €/pc.	
	Starter-Set	AT KN START	100 pcs. pull tabs up to 10 mm; joint width 2 mm	107,21	
			100 pcs. levelling wedges		magenta
			1 piece levelling pliers		black